

Link to the product: <https://www.skyrc.eu/skyrc-toro-8-x150-150a-esc-toro-x8p-2400kv-6t-motor-combo-for-18-car-p-215.html>



SkyRC TORO 8 X150 150A ESC + Toro X8P 2400KV 6T motor COMBO for 1/8 car

Price	133.10 Euro
Availability	Not available
Shipping time	24 hours
Number	213
Producer code	SK-300001-10
Manufacturer	SkyRC

Product description

- CNC Machined T6 Billet Aluminum Heatsink Can
- 18 Slots Stator Hi-torque Motor Design
- Rotor-6 Pole Neodymium Sintered Magnets
- High RPM & Supersized Bearings
- High Purity Copper Windings for Maximizes Efficiency
- Precision Engineered for Maximum Energy Conversion
- Stator-Super Thin (0.2mm) Laminations
- Super High Current Silicon Wires
- Super Strength 5mm Shaft
- Removable /Replaceable Rotor

Toro 8 speed controls set a new standard in brushless performance and Toro 8 is big power in a small package.

This brushless, sensorless speed control is packed with many features making it unbeatable for either non-stop run or top level racing.

The features of Toro 8 can be easily accessed and adjusted using the program card. At the press of a single button you can adjust the Li-Po battery voltage cut-off, the

maximum punch, the brake strength, the drag brake, the motor timing and the reverse lock out! All the setting will show on the program card at once. Can't get any easier!

The complete new design will prove that brushless technology has just reached a new high:

- Super smooth starting up
- New high performance heat dissipation power boards
- Built in ventilation fan for extreme cooling
- Safety features including thermal cut off
- Li 6/7/8/9/10/11 Support
- New software increases power and top speeds
- New adjustable features via included program card- very easy to use
- New high power brakes, fully adjustable
- New high power drag brakes, fully adjustable
- Support Li 6 up to 6 Cens
- Small size - 49x56x50mm
- Weight - 88g (excluding wires)

Specifications:

Controls, TORO 8		Rev/Brk/ or Fwd/Fwd
Motor Limits, TORO 8		Input Power (Cells)
X150	Brushless KV > 2400	Up to 4S(16.8Volt),ideal for 1/8 buggies
	Brushless KV ≤ 2400	Up to 6S(25.2Volt),ideal for 1/8 monster trucks and buggies
X80	Brushless KV	Up to 4S(16.8Volt),ideal for 1/8 buggies
On	X150	0.0002 Ohms per phase at 25°C□77°F□Trans.Temp
Resistance, Brushless	X80	0.0004 Ohms per phase at 25°C□77°F□Trans.Temp
Continuous/Burst	X150	150Amp/950Amp
Current	X80	80Amp/500Amp
Switching BEC		5.7V 3Amp
Status LED		1 with 3 color (Red, Green & Orange)
Thermal Overload Protection		Yes
Dimensions(L*W*H)		48.8*57.5*35.8mm(1.29*2.28*1.41in)
Weight(Without wires)		88g(3.1oz)