

Link to the product: <https://www.skyrc.eu/skyrc-toro-ts-120a-esc-p-139.html>

SkyRC TORO TS 120A ESC



| | |
|---------------|----------------------|
| Price | 89.18 Euro |
| Availability | Not available |
| Shipping time | 24 hours |
| Number | 137 |
| Producer code | SK-300044-01 |
| Manufacturer | SkyRC |

Product description

TS120 *ADVANCED TIMING SYSTEM*

Toro TS 120A ESC for 1/10th Scale Car is designed for the use with 2S to 3S LiPo battery packs, has a 3.5T motor limit and features a 6V/3A BEC system. This feature does away with the need to use a separate receiver battery pack.

Less resistance, less heat ,more effective

10 User Modifiable Profiles

The users could set and store 10 sets of profiles in the ESC. These data could be called out at any time without any special program setting. All the setting can be exported or imported so that the user could compare and analyze.

Safety Features

Low voltage protection
Motor and ESC overheat protection

Signal lost protection

Firmware Update

The firmware can be updated by connecting the ESC with PC .

Programming Method

It can be programmed by PC connected with
1.SKYLINK(SK-600013)

2.Smart phone via Bluetooth Module(SK-600075)

3.PROGBOX(SK-300046),

Precise Programmable Items


Advanced Timing System

Users could set the turbo and boost timing which can improve the motor RPM to get its best performance.

Well-performed Throttle and Brake Control Function

Users could set the punch/brake control rate by point or customize the throttle/brake curve by themselves, and different customers' request for linear and power all can be met.

Specifications

| | | |
|------------------------|--|--|
| Size | |  |
| Weight | | 45g (w/o wire) |
| Constant/Burst Current | | 120A/760A |
| Motor Compatible | | Brushless Sensor & Sensorless ESC |
| Car Compatible | | 1/10 and 1/12 Buggy and Truck 1/10 and 1/8 Crawlers |
| Motor Limits | | 5-6S NIMH or 2S LIPO-- $\geq 3.5T$ (1/10 Buggy), $\geq 5.5T$ (1/10 Truck) 8-9S NIMH or 3S LIPO-- $\geq 5.5T$ (1/10 Buggy), $\geq 8.5T$ (1/10 Truck) |
| Resistance | | 0.0003ohm |
| Battery Cell Count | | 4-9S NIMH or 2-3S LIPO |
| BEC Output | | 6V@3A, linear |
| FAN | | 5V@0.2A , MAX 12.6V |

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|