

Link to the product: <https://www.skyrc.eu/skyrc-toro-ts50-sensored-esc-p-155.html>

SkyRC TORO TS50 SENSORED ESC



Price	33.10 Euro
Availability	Not available
Shipping time	24 hours
Number	153
Producer code	SK-300060
Manufacturer	SkyRC

Product description

Toro TS50 ESC is a brushless sensed ESC with small size, light weight, and electronic power switch, which is designed for 1/10 Buggy and Touring car. It accepts 4-6S NimH or 2S LiPo battery, and its BEC is 6V/2A.

It comes with well-performed throttle and brake control function. Racers could set punch/brake control rate by point or customize the throttle/brake curve to meet the request for linear and power. It also supports firmware update and can be programmed by program box, and SkyLink via PC.

A simple push button operates the switch meaning to eliminate the problems associated with intermittent contact of an ordinary mechanical switch.

The users could set and store 10 sets of profiles in the ESC. These data could be called out at any time without any special program setting. All the setting can be exported or imported so that the user could compare and analyze.

Low voltage protection
Motor and ESC overheat protection
Signal lost protection.

The firmware can be updated by connecting the ESC with PC .

It can be programmed by PC connected with
1. SKYLINK

2. Program Box

Users could set the punch/brake control rate by point or custom the throttle/brake curve by themselves, and different customers' request for linear and power all can be met.

Throttle Control Setting

Throttle Curve Custom

Brake Control Setting

Brake Curve Custom

Specifications:

Size		
Constant/Burst Current		50A/300A
Motor Compatible	Brushless Sensor & Sensorless ESC	
Car Compatible	1/10 Buggy and Touring Car	
Motor Limits	4-6S NiMH or 2S LiPo-- $\geq 8.5T$ (1/10 Touring Car), $\geq 11.5T$ (1/10 Buggy)	
Resistance	0.0006ohm	

Battery Cell Count		4-6S NiMH or 2S LiPo
BEC Output		6V@2A
Weight		60g
FAN		Optional part
REMARK: All the testing results are working with 540 class motors.		